



WINDOW SCHEDULE				DOOR SCHEDULE			
MARK	NO.	TYPE	REMARKS - CARAD	MARK	NO.	TYPE	REMARKS
A	3R07	2	TRIPLE CASMT	1	306B	5	FRENCH
B	2R07	13	MIN CASMT	2	306B	4	STAT. FRENCH
C	1R07	4	SINGLE CASMT				15 LITE
D	306B	3	STAT. FRENCH				15 LITE
E	2x4	5	SKYLITE				

FLOOR PLAN

1/4" = 1'-0"
 - FRAMING TO BE ACCORDING TO
 BOCA BUILDING CODES
 - ELECTRICAL TO BE ACCORDING TO
 NATIONAL ELECTRIC CODES
 GRAPHIC SCALE

NOTE:
 RECEPT SHALL BE SPACED SO NO PT. ALONG THE FLOOR IS
 MORE THAN 6' FROM AN OUTLET, IF THERE IS NO OH. LIGHT,
 THEN AT LEAST ONE ELECT. RECEPT TO BE UNCONTROLLED
 2) EACH OUTSIDE ENTRANCE TO HAVE A LIGHT.
 3) SHALL TENTAT. BUILD OUT. SHALL BE PERFORMED UNDER SEPARATE
 PERMIT WITH DRAWINGS SUBMITTED PRIOR TO COMMENCING WORK
 4) SWITCHES GREATER THAN 1000 SQUARE FEET ARE REQUIRED TO
 HAVE ENDS OUTFITTED FOR THE HANDICAPPED SUITES HAVING MORE
 THAN 5 EMPLOYEES SHALL HAVE GEP BATHS FOR EACH SEX, EACH EQUIPPED
 FOR THE HANDICAPPED.



TOTAL # 6236

JIM GRIFITH, BUILDER, INC.
 WILMINGTON, VIRGINIA
 PLASTER AND CONCRETE
 SHEET 2 OF 5